


XIAMEN JINGWEI TECHNOLOGY CO., LTD.

Tape Cutting Machine

13 Products



WhatsApp: +86-18965153335 | Email: sales@cablecutting.net | www.cablecutting.net

526 Xinglinwan Rd, Jimei, Xiamen, Fujian, China



WPM-100


Automatic Rubber Plastic Sleeve Tube Belt Wire Cutter

Product parameters



LP-200


Double-Head Automatic Label Peeling Machine



WPM-919X

Hot/Cold Rotary Ribbon Tape Cutter for Angles

Automatic Hot Knife Rope & Belt Cutter for Polyester



WPM-919N

Automatic Hot Knife Rope & Belt Cutter for Polyester



WPM-890S

Automatic Hot Cut Satin Ribbon Cutter for Fabric

Ultrasonic Fabric Label & Ribbon Cutting Machine with Punching



WPM-UL


Ultrasonic Fabric Label & Ribbon Cutting Machine with Punching

HOT/COLD KNIFE FABRIC CUTTER




WPM-990T

Automatic Hot/Cold Knife Fabric Cutter for Webbing & Tape



WPM-690

Automatic Hook & Loop Ribbon Cutting Machine



WPM-BOPP

Auto BOPP Tape Cutter



WPM-09A

Automatic Wire & Heat Shrink Tube Cutter with LCD Display



WPM-850

Automatic Zipper & Ribbon Cutter Machine



WPM-6100

Digital Ribbon & Tape Cutting Machine



WPM-Cut-1200

Automatic Stacking Cutting Machine for Fabric & Wire



Automatic Rubber Plastic Sleeve Tube Belt Wire Cutter

The WPM Series Automatic Rubber and Plastic Sleeve Cutting Machine is a high-performance solution engineered for precise and automated cutting. Equipped with microcomputer numerical control, it guarantees exceptional accuracy, ease of operation, and minimized material waste. The machine handles a wide array of materials including rubber sleeves, plastic sleeves, heating shrink tubes, cable wires, PVC tubes, insulating paper, double-sided tapes, adhesive tapes, cotton belts, and zippers. Its compact footprint makes it suitable for various workshop environments.

Specifications

Model	WPM-100
Control System	Microcomputer Numerical Control
Voltage	100V/220V
Power	1/4 HP
Max Cutting Width	100mm
Cutting Length Range	0.1-9999.9mm
Weight	34 kgs
Dimensions	400 x 370 x 340mm
Applicable Materials	Rubber sleeves, plastic sleeves, heat shrink tubes, PVC tubes, cable wires, insulating paper, double-sided tapes, adhesive tapes, cotton belts, zippers

Product parameters



Double-Head Automatic Label Peeling Machine

The Intelligent Automatic Labels Peeling Machine is suitable for fast separation of labels, barcodes, anti-counterfeiting, lasers, hot stamping stickers, packaging trademarks, insulating material rubber pads, toy stickers, production dates, and printed patterns. The label is clean, pollution-free, free from damage, with no wrinkles, reducing labor and increasing efficiency. Fully automatic peeling with the second sheet automatically peeled after the label is taken away. The peeling length is adjustable up to 8cm. One machine can be used by multiple people.

Specifications

Product Name	Double-head Label Peeling Machine
Label Length Range	4-200mm
Peeling Speed	255cm/minute
Max Peeling Length	8cm
Roll Paper Inner Diameter	Minimum 20mm (customizable)
Max Roll Paper Diameter	200mm
Power	30W
Power Supply	AC220V/50Hz
Sensor	Fiber/Optical
Weight	About 12kg
Dimensions	275 x 278 x 317mm

Hot/Cold Rotary Ribbon Tape Cutter for Angles

The Rotary Knife Ribbon Tape Cutter is the ultimate solution for achieving precise angular cuts on ribbons and tapes, with the added versatility of hot and cold knife cutting options. Engineered for high-speed, high-accuracy performance, it delivers perfectly angled edges and clean, fray-free finishes. The machine features a user-friendly automatic operation, intelligent self-protection system, high-speed cutting of 100-120 pieces per minute, and a rotary knife for angular cuts from 45 to 135 degrees.

Specifications

Model	WPM-919X
Available Knife Width	100mm
Available Cutting Length	5-9999mm
Tape Cutting Speed	100-120 Pcs/Min
Cutting Tolerance	≤0.5mm
Cutting Type	Hot & Cold knives & Rotary knives
Cutting Edge Angles	45-135 degrees
Air Pressure	0.4-0.6Mpa
Power Supply	AC220V/110V 50/60Hz
Dimensions	450 x 350 x 350mm
Weight	28kg



Automatic Hot Knife Rope & Belt Cutter for Polyester



Automatic Hot Knife Rope & Belt Cutter for Polyester

The Hot Knives Polyester Round Rope Belt Cutting Machine is the ultimate solution for achieving precise and efficient cuts on a wide range of belts and ropes. Engineered for high-speed, high-accuracy performance, it features versatile hot and cold knife options and user-friendly automatic operation. The machine includes intelligent self-protection, high-speed cutting of 100-120 pieces per minute, and stepping motor for precise cutting length. The hot knife is ideal for sealing synthetic materials like polyester rope, preventing fraying.

Specifications

Model	WPM-919N
Available Tape Width	3-125mm
Available Cutting Length	1-9999mm
Tape Cutting Speed	100-120 Pcs/Min
Cutting Tolerance	≤0.5mm
Cutting Type	Hot & Cold knives, Straight cut
Power Supply	AC220V/110V 50/60Hz
Dimensions	450 x 350 x 350mm
Weight	33kg
Available Materials	Fabric, satin, webbing tapes, elastic tapes, belts, nylon, zipper, leather, Hook & Loop, tubes

Automatic Hot Cut Satin Ribbon Cutter for Fabric

The Hot Cut Satin Fabric Ribbon Cutting Machine is engineered for high-speed, high-precision cutting, ensuring clean, fray-free finishes every time. Utilizing hot knife cutting technology, this machine ensures heat-sealed edges that prevent fraying on satin ribbons, fabric tapes, and other heat-sealable materials. It features automatic operation, self-protection system, high-speed cutting of 100-120 pieces per minute, and a compensation mechanism for consistent sizing. The compact design makes it ideal for workshops with limited space.

Specifications

Model	WPM-890S
Available Tape Width	5-100mm
Available Cutting Length	5-999999mm
Tape Cutting Speed	100-120 Pcs/Min
Cutting Tolerance	≤0.5mm
Cutting Type	Hot knives, Straight cut
Power Supply	AC220V/110V 50/60Hz
Dimensions	500 x 350 x 350mm
Weight	26kg
Available Materials	Fabric, satin, webbing tapes, elastic tapes, belts, heat-seal tapes



Ultrasonic Fabric Label & Ribbon Cutting Machine with Punching



Ultrasonic Fabric Label & Ribbon Cutting Machine with Punching

The Ultrasonic Punching Tape Cutter is a revolutionary machine designed to redefine precision and efficiency in fabric and label processing. It seamlessly integrates ultrasonic punching hole tape cutting with advanced cutting capabilities, offering a dual-system approach. Equipped with two sets of fast-response ultrasonic generators and transducers, controlled by a powerful PLC, it achieves continuous punching and cutting with unmatched speed and precision. The high-carbon alloy steel cutting tool delivers exceptionally clean, burr-free edges with no side fraying.

Specifications

Model	WPM-UL
Operation Systems	2 (cutting system + cutting/punching system)
Control System	PLC with touch screen
Cutting Tool	High-carbon alloy steel
Functions	Cutting, punching, automatic feeding, computer counting
Cutting Shapes	Straight knife, oblique knife, dovetail
Applications	Belts, seat belts, watch belts, pet belts, gift belts, nylon belts, ribbons




HOT/COLD KNIFE FABRIC CUTTER

Automatic Hot/Cold Knife Fabric Cutter for Webbing & Tape

The Automatic Hot/Cold Knife Fabric Cutter for Webbing & Tape features easy operation with automatic cutting once length and quantity are set. It includes a self-protection function that stops the machine when materials run out, high-speed cutting of 100-120 pieces per minute, and high accuracy via stepping motor. The machine offers easily switchable hot and cold cutting knives and a compensation feature for consistent sizing. It is professional in cutting Hook & Loop tapes and widely applicable for woven belts, nylon buckles, plastic zippers, PVC tube leather, and more.

Specifications

Model	WPM-990T
Available Tape Width	5-100mm
Available Cutting Length	1-999999mm
Tape Cutting Speed	100-120 Pcs/Min
Cutting Tolerance	≤0.5mm
Cutting Type	Hot & Cold knives, Straight cut
Knife Temperature	Max 400° C, Adjustable
Power Supply	AC220V/110V 50/60Hz, 600W
Dimensions	500 x 350 x 350mm
Weight	28kg
Available Materials	Fabric, satin, webbing tapes, elastic tapes, belts, nylon, zipper, leather, Hook & Loop, tubes



Automatic Hook & Loop Ribbon Cutting Machine

The Automatic Hook & Loop Ribbon Cutting Machine WPM-690 is more advanced than WPM-619, featuring stronger control systems and higher quality. It offers easy operation with automatic cutting, self-protection function that stops when materials run out, high-speed cutting of 100-120 pieces per minute, and high accuracy via stepping motor. The machine supports both straight and shape cutting, with repeat cutting capability and a memory function. It is professional in cutting Hook & Loop tapes and widely used for woven belts, nylon buckles, plastic laces, PVC tube leather, and more.

Specifications

Model	WPM-690
Available Tape Width	5-80mm (straight cut), 5-40mm (shape cut)
Available Cutting Length	5-9999mm
Cutting Speed	100-120 Pcs/Min
Cutting Tolerance	≤0.5mm
Cutting Type	Cold knives, Straight & Shape cut
Power Supply	AC220V 50Hz
Dimensions	380 x 320 x 300mm
Weight	25kg
Available Materials	Hook & Loop, nylon/fabric tapes, plastic/metal zippers, leather, PVC tubes, PS material

Auto BOPP Tape Cutter

The Auto BOPP Tape Cutter features easy operation with automatic cutting once length and quantity are set. It includes a self-protection function, high-speed cutting of 100-120 pieces per minute, and high accuracy via stepping motor and imported driver. The machine offers reset function, hot and cold cutting knives with easy switching, and compensation for consistent sizing. It is widely used to cut woven belts, nylon buckles, lining, fabric tapes, plastic and metal zippers, PVC tube leather, aluminum platinum, PS material, and more. Special blades are available for different cutting edge shapes.

Specifications

Available Tape Width	5-100mm
Available Cutting Length	1-999999mm
Tape Cutting Speed	100-120 Pcs/Min
Cutting Tolerance	≤0.5mm
Cutting Type	Hot & Cold knives, Straight cut
Knife Temperature	Max 400° C, Adjustable
Power Supply	AC220V/110V 50/60Hz, 600W
Dimensions	500 x 350 x 350mm
Weight	28kg
Available Materials	Fabric, satin, webbing tapes, elastic tapes, belts, nylon, zipper, leather, Hook & Loop, tubes



Automatic Wire & Heat Shrink Tube Cutter with LCD Display

The Wire and Shrinkable Tube Cutting Machine WPM-09A adopts a micro-computer numerical control device with automatic counting function. Users can freely set cutting length, quantity, yield, and speed. It applies to cut all kinds of PVC tubes, heat-shrink tubes, electric wires, and more. The machine features a full English LCD display, hard tungsten steel blade for durability, and high cutting speed of 3000-7000 pieces per hour. It comes with a one-year free warranty.

Specifications

Model	WPM-09A
Cutting Length	5-9999mm
Max Diameter	Ø25.0mm
Max Width	25mm
Motor Step Angle Accuracy	3-phase 6 shot 1.5/3
Cutting Tolerance	± (0.002×L)
Cutting Speed	3000-7000 pcs/hour
Display	Full English LCD
Blade Material	Hard tungsten steel
Power Supply	AC220V/50Hz or AC110V/60Hz
Power Rating	200W



Automatic Zipper & Ribbon Cutter Machine

The Automatic Zipper & Ribbon Cutter Machine WPM-850 works automatically by simply setting length and quantity. Cutting is neat due to using a durable cold cutter. It features a feeding speed of 6500mm/min, automatic stopper when materials run out, and memory function that retains settings even after power off. The cutting knife frequency can be adjusted according to material thickness. It supports multiple cutting shapes including straight, circle, rounded corner, and chamfered.

Specifications

Model	WPM-850
Cutting Length	1-99999mm
Cutting Width	110mm
Cutting Speed	120 Pcs/Min
Knife Type	Cold Knife
Feeding Speed	6500mm/min
Cutting Shapes	Straight, Circle, Rounded Corner, Chamfered
Power	0.1KW
Weight	25kg
Packing Size	38 x 32 x 30cm (L x W x H)



Digital Ribbon & Tape Cutting Machine

The WPM-6100 Digital Cutting Machine is a highly versatile and precise solution for all material cutting needs. Engineered for exceptional accuracy and speed, it excels as a Ribbon Cutting Machine, Nylon Tape Cutting Machine, and Trademark Cutting Machine. It handles an extensive range of materials including heat-shrinkable tubing, Teflon tubes, PVC pipes, silicone tubes, flat cables, ribbons, non-woven fabric, double-faced adhesive tape, copper foil, battery separators, nickel, and more. Features include high-speed cutting up to 120 pieces per minute, microcomputer program control with $\pm 0.1\text{mm}$ accuracy, English LCD interface, automatic counting and grouping, and specialized mechanical structure for clean silicone tube cuts.

Specifications

Model	WPM-6100
Cutting Length	1-99999mm
Cutting Width	1-100mm, 1-120mm, 0-160mm, 0-200mm (customizable)
Cut-off Speed	100-120 Pcs/Min
Memory Function	Stores max. 100 group programs
Accuracy	$\pm 0.1\text{mm}$
Supply Voltage	220V/50Hz, 110V/60Hz
Power	60W
Net Weight	35kg
Gross Weight	45kg
Dimensions	L400 x W300 x H430mm



Automatic Stacking Cutting Machine for Fabric & Wire

The Multi-function Intelligent Cutting Machine is a special motion control system widely used in the electronics industry, automotive and motorcycle industry, electrical appliances, motors, toys, transformers, and clothing industries. Available in multiple models from Cut-100D to WPM-Cut-1200 with cutting widths from 120mm to 1215mm. It features an LED large screen intuitive Chinese display for precise adjustment of cutting length and speed, cutter time protection, total number settings, batch settings, and adjustable batch pause time. The machine automatically stops when cutting is complete.

Specifications

Model Range	Cut-100D to WPM-Cut-1200
Cutting Width	120mm to 1215mm (by model)
Max Cut Length	100M
Speed	80M/Minute
Accuracy	0.1mm
Segment Length Range	0.1-99999.9mm
Power Supply	220V 50/60Hz
Display	LED large screen Chinese display
Applications	Electronics, automotive, electrical appliances, motors, toys, transformers, clothing



Contact Us

Company

XIAMEN JINGWEI TECHNOLOGY CO., LTD.

WhatsApp

+86-18965153335

Email

sales@cablecutting.net

Website

www.cablecutting.net

Address

526 Xinglinwan Rd, Jimei, Xiamen, Fujian, China